

**CLAIMS**

What is claimed is:

- 1 1. A file interface arrangement for providing remote file access to a data  
 2 processing system via a network, the data processing system including a system  
 3 input/output bus, the file interface arrangement comprising:  
 4 a bus-interface circuit arranged to interface with the system input/output bus;  
 5 a processor arrangement coupled to the bus-interface circuit;  
 6 a memory coupled to the processor arrangement, the memory configured with  
 7 program code that is executable by the processor arrangement and that implements a  
 8 standard NFS client protocol, at least one non-standard extension to the NFS client  
 9 protocol, and a network protocol stack; and  
 10 a network-interface circuit arrangement coupled to the processor arrangement  
 11 and arranged to send data received from the processor over the network and receive  
 12 data via the network.
- 1 2. The arrangement of claim 1, wherein the data processing system includes an  
 2 operating system and hosts an NFS client application, the arrangement further  
 3 comprising an interceptor module coupled to the operating system and to the system  
 4 bus, the interceptor module configured and arranged to intercept NFS-client calls from  
 5 the NFS client application and send NFS-client calls to the processor arrangement via  
 6 the system bus.
- 1 3. The arrangement of claim 2, wherein the operating system includes a message  
 2 stream and the interceptor module is configured and arranged to intercept NFS  
 3 messages from a message stream of the operating system.
- 1 4. The interface arrangement of claim 3, wherein at least one non-standard  
 2 extension to the NFS client protocol includes an interface to one or more of a storage  
 3 area network, a database system, a name server, or a meta-data server.
- 1 5. The arrangement of claim 2, wherein the operating system includes an RPC  
 2 software layer, and the interceptor module is configured and arranged to intercept  
 3 packets from the RPC layer of the operating system.

1 6. The interface arrangement of claim 5, wherein at least one non-standard  
2 extension to the NFS client protocol includes an interface to one or more of a storage  
3 area network, a database system, a name server, or a meta-data server.

1 7. The interface arrangement of claim 4, wherein at least one non-standard  
2 extension to the NFS client protocol includes an interface to one or more of a storage  
3 area network, a database system, a name server, or a meta-data server.

1 8. A method for processing network file system (NFS) client calls on a client data  
2 processing system, the client system including a processor arrangement that hosts an  
3 operating system and a client application, a first network interface card, and a second  
4 network interface card, the client application making NFS client calls consistent with  
5 an NFS client protocol, comprising:  
6 intercepting an NFS-client call from the client application on the processor  
7 arrangement;  
8 sending intercepted NFS-client calls to the first network interface card;  
9 performing NFS-client protocol processing on the first network interface card in  
10 response to the NFS-client calls;  
11 sending non-NFS RPCs to the second network interface card; and  
12 performing non-NFS RPC protocol processing on the second network interface  
13 card.

1 9. The method of claim 8, further comprising performing on the first network  
2 interface card a process that implements one or more extensions to the NFS client  
3 protocol.

1 10. The method of claim 9, wherein the one or more extensions include an interface  
2 to one or more of a storage area network, a database system, a name server, or a meta-  
3 data server.

1 11. The method of claim 10, further comprising intercepting NFS messages from a  
2 message stream of the operating system.

1 12. The method of claim 10, wherein the operating system includes an RPC  
2 software layer, and further comprising intercepting packets from the RPC layer of the  
3 operating system.

1 13. The method of claim 8, further comprising intercepting NFS messages from a  
2 message stream of the operating system.

1 14. The method of claim 8, wherein the operating system includes an RPC software  
2 layer, and further comprising intercepting packets from the RPC layer of the operating  
3 system.

1 15. An apparatus for processing network file system (NFS) client calls on a client  
2 data processing system, the client system including a processor arrangement that hosts  
3 an operating system and a client application, a first network interface card, and a  
4 second network interface card, the client application making NFS client calls consistent  
5 with an NFS client protocol, comprising:

6 means for intercepting an NFS-client call from the client application on the  
7 processor arrangement;

8 means for sending intercepted NFS-client calls to the first network interface  
9 card;

10 means for performing NFS-client protocol processing on the first network  
11 interface card in response to the NFS-client calls;

12 means for sending non-NFS RPCs to the second network interface card; and

13 means for performing non-NFS RPC protocol processing on the second network  
14 interface card.